

LITERATURA

1. ACI Committee 226. Silica Fume in Concrete. ACI Materials Journal, Vol. 84, 1987.
2. Aitcin P.-C.: High Performance Concrete. EF&N SPON 1998.
3. Aitcin P.-C., Sarkar S.L., Regourd M., Volant D.: Retardation effect of superplasticizer on different cement fractions. Cement and Concrete Research. Vol. 17, pp. 995–999, 1987.
4. Aitcin P.-C.: Trwały wysokowartościowy beton – sztuka i wiedza. Konferencja "Beton na progu nowego milenium", Kraków 2000, pp. 383 – 413.
5. Aitcin P.-C.: Trwały wysokowartościowy beton – sztuka i wiedza. Konferencja "Dni Betonu", Szczyrk 2002.
6. Ajdukiewicz A.: Rozwój badań i zastosowań betonów wysokowartościowych. Konferencja "Beton na progu nowego milenium", Kraków 2000, pp. 413–432.
7. Andersen P.J.: The effect of superplasticizers and air-entrained agents on the zeta potential of cement particles. Cement and Concrete Research. Vol. 16, pp. 931–940, 1986.
8. Andersen P.J., Roy D.M., Gaidis J.M.: The effect of superplasticizer molecular weight on its adsorption on, and dispersion of, cement. Cement and Concrete Research. Vol. 18, pp. 980–986, 1988.
9. Andersen P.J., Roy D.M., Gaidis J.M.: The effects of adsorption of superplasticizers on the surface of cement. Cement and Concrete Research. Vol. 17, pp. 805–813, 1987.
10. Asaga K., Roy D.M.: Rheological properties of cement mixes: IV. Effects of superplasticizers on viscosity and yield stress. Cement and Concrete Research. Vol. 10, pp. 287–295, 1980.
11. Asakura E., Yosida H., Nakae H.: Influence of superplasticizer on fluidity of fresh cement paste with different clinker composition. Proceedings of the 9–th International Conference on the Chemistry of Cement, 1992, pp. 570–576.
12. Atenzi C., Massidda L., Sanna U.: Comparison between rheological models for Portland cement pastes. Cement and Concrete Research. Vol. 15, pp. 511–519, 1985.
13. Banfill P.F.G.: A coaxial cylinders viscometer for mortar: design and experimental validation. w Rheology of Fresh Cement and Concrete. (ed. Banfill, P.F.G.). Spon, London 1991, 217–226.
14. Banfill P.F.G.: Feasibility study of coaxial cylinders viscometer for fresh mortar. Cement and Concrete research. Vol 17, 1987, pp.329 – 339.
15. Banfill P.F.G.: Rheology of Fresh Cement Pastes. Annual Transactions Of The Nordic Rheology Society, Vol. 5, 1997.
16. Banfill P.F.G., Saunders D.C.: The relationship between the sorption of organic compounds on cement and the retardation of hydration. Cement and Concrete Research. Vol. 16, pp. 399–410, 1986.
17. Banfill P.F.G.: The rheology of fresh mortar. Magazine of concrete research, Vol. 43, No 154, pp. 13–21, 1991.
18. Bonen D., Sarkar Shondeep L.: The superplasticizer adsorption capacity of cement pastes, pore solution composition, and parameters affecting flow loss. Cement and Concrete Research. Vol. 25, pp. 1423–1434, 1995.
19. Bukowski B.: Technologia betonu. Cz. 1. Spoiwo, kruszywa, woda. Arkady 1963.
20. Burge T.A.: Mode of Action of Superplasticizers. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France 2000, pp.101 – 127.
21. Chanda S., Flodin P.: Interactions of Polymers and Organic Admixtures on Portland Cement Interaction. Cement and Concrete Research 19, 1987 pp. 875 – 890.
22. Chiochio G., Paolini A.E.: Optimum time for adding superplasticizers to Portland cement pastes. Cement and Concrete Research. Vol. 15, pp. 901–908, 1985.
23. Collepari M.: Admixture Used to Enhance Placing Characteristics of Concrete. Cement and Concrete Composites 20, pp. 103 – 112, 1998.
24. Collepari M., Ramachandran V.S.: Effect of Admixtures. Proceedings of the 9–th International Conference on the Chemistry of Cement, 1992, pp. 529–568.
25. Condensed Silica Fume in Concrete. State of Art Report FIB/CEB Bulletin d'Information, 1988.
26. Costa U., Corrazza F., Colombert P., Fernon V., Vichot A.: Mechanisms of cement – admixture interaction. Proceedings of the 10–th International Conference on the Chemistry of Cement, 1997, 3iii003, 12pp.

27. Costa U., Golsis M, Guerra G.: Application of HPLC in the characterisation of Naphthalene Sulphonate-Based Superplasticizers. Proceedings of the 9-th International Conference on the Chemistry of Cement, 1992, pp. 619–626.
28. Cunningham J.C., Dury B.L., Gregory T.: Adsorption characteristics of sulphonated melamine formaldehyde condensates by high performance size exclusion chromatography. Cement and Concrete Research. Vol. 19, pp. 919–926, 1989.
29. Daimon M., Roy D.M.: Rheological properties of cement mixes: I. Methods, preliminary experiments, and adsorption studies. Cement and Concrete Research. Vol. 8, pp. 753–764, 1978.
30. Daimon M., Roy D.M.: Rheological properties of cement mixes: II. Zeta potential and preliminary viscosity studies. Cement and Concrete Research. Vol. 9, pp. 103–110, 1979.
31. Damtoft J.S., Herfort D., Yde E.: Concrete binders, mineral additions and chemical admixtures: State of the art. and challenges for the 21st century. Proceedings of International Seminar "Extending Performance of Concrete Structures", Dundee, UK, September 1999.
32. Domone P., Hsi-Wen Ch.: Testing of binders for High Performance Concrete. Cement and Concrete Research, Vol. 27, pp. 1141–1147, 1997.
33. Domone P.: The slump flow test for High-Workability Concrete. Cement and Concrete Research, Vol. 28, pp.177–182, 1998.
34. Domone P.L.J., Yongomo X., Banfill P.F.G.: Developments of the two-point workability test for high-performance concrete. Magazine of Concrete Research, Vol. 51, No. 3, 1999, pp. 171–179.
35. Faroug F.: Wpływ wybranych superplastyfikatorów na właściwości reologiczne mieszanek betonowych. Praca doktorska. Politechnika Śląska, Gliwice 1994.
36. Faroug F., Szwabowski J., Wild S.: Influence of Superplasticizers on Workability of Concrete. Journal of Materials in Civil Engineering, pp. 151–157, 1999.
37. Ferrari G., Cerulli T., Clemente P., Dragoni M., Gamba M., Surico F.: Influence of Carboxylic Acid Carboxylic Ester Ratio of Carboxylic Acid Ester Superplasticizer on Characteristics of Cement Mixtures. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France 2000, pp.505 – 520.
38. Ferraris C.F., Gaidis J.M.: Connection between the Rheology of Concrete and Rheology of Cement Paste. ACI Materials Journal, Vol. 88, No. 4, pp. 388–393, 1992.
39. Ferraris Ch.F., Obla H.K., Hill R.: The influence of mineral admixtures on the rheology of cement paste and Concrete. Cement and Concrete Research Vol. 31, 2001, pp. 245 – 255.
40. Fernon V., Vichot A., Le Goanvic N., Colombet P., Corazza F., Costa U.: Interaction Between Portland Cement Hydrates and Polynaphthalene Sulfonates. 5th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Rome, Italy 1997, pp.225–248.
41. Flatt R.J., Houst Y.F., Bowen P., Hofmann H.: Electrostatic Repulsion Induced By Superplasticizers between Cement Particles – An Overlooked Mechanism? 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France, 2000, pp.29 – 42.
42. Flatt R.J., Houst Y.F., Bowen P., Hofmann H., Widmer J., Sulser U., Meader U., Burge T.A.: Adsorption of superplasticizers on model powders: temperature dependence, effect on zeta potential and role of chemical structure. Proceedings of the 10-th International Conference on the Chemistry of Cement, 1997, 3iii002, 8pp.
43. Fukuda M., Mizunuma T., Izumi T., Iizuka M., Hisaka M.: Slump control and properties of concrete with a new superplasticizer. I: Laboratory studies and test methods. Proceedings of the International Symposium held by RILEM "Admixtures for Concrete. Improvement of Properties", Ed. by E. Vazquez, Barcelona 1990, pp. 10 – 19.
44. Giergiczny Z., Małolepszy J., Szwabowski J., Liwiński J.: Cementy z dodatkami mineralnymi w technologii betonów nowej generacji. Wydawnictwo Instytut Śląski sp. z o.o. w Opolu, Opole 2002, p. 189.
45. Gjorv O.E.: High Strength Concrete. Raport BML 91601. The Norwegian Institute of Technology, Norway 1991.
46. Gjorv O.E.: Workability: A New Way of Testing. Concrete International, pp. 57–60, 1998.
47. Gołaszewski J., Szwabowski J.: Influence of superplasticizers on setting times. Modern Building Materials, Structures and Techniques, Wilno, Litwa, 2001.
48. Gołaszewski J., Szwabowski J.: Rheological behaviour of fresh cement mortars containing superplasticizers of new generation. Kurdowski Sympozjum "Science of cement and concrete", Kraków, 2001. pp. 111–135
49. Gołaszewski J.: Urabialność betonu wysokiej wytrzymałości. Rozprawa doktorska. Politechnika Śląska. Gliwice 1996.
50. Gołaszewski J.: Wpływ wybranych domieszek upłynniających na właściwości reologiczne zapraw. II Sympozjum Naukowo – Techniczne "Reologia w technologii betonu", Politechnika Śląska, Gliwice 2000.

51. Gołaszewski J.: Wpływ temperatury na urabialność mieszanek betonowych z dodatkiem superplastyfikatora. III Sympozjum Naukowo – Techniczne "Reologia w technologii betonu", Politechnika Śląska, Gliwice 2001 pp. 49 – 60.
52. Grabiec M., Krzywobocka–Laurów R.: Influence of Melamine Superplasticizer on Some Characteristics of Concrete. Proceedings of the 10–th International Conference on the Chemistry of Cement, 1997, 3iii019, 6 pp.
53. Greim M.: Rheological Measurement on Building Materials, a Comprehensive Research Program. Annual Transactions of the Nordic Rheology Society, Vol. 5, 1997.
54. Hamada D., Sato T., Yamato F., Mizunuma T.: Development of New Superplasticizer and Its Application to Self –Compacting Concrete. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France 2000, pp.269 – 290.
55. Hekal E.E., Kishar E.A.: Effect of sodium salt naphthalene–formaldehyde polycondensate on ettringite formation. Cement and Concrete Research 29, 1999. pp. 1535 – 1540.
56. Helm M., Hornung F.: Rheological Test Procedure in the Ready–Mixed Concrete Bath Plant. Annual Transactions Of The Nordic Rheology Society, Vol. 5, 1997.
57. Houst Y.F., Flatt R.J., Bowen P., Hofmann H., Maeder U., Widmer J., Sulser U., Buerge T.A.: New superplasticizers: From research to application. Proc. Intn. Congress "Creating with Concrete", University of Dundee, Dundee, September 1999, pp. 446–455.
58. Houst Y.F., Flatt R.J., Bowen P., Hofmann H., Maeder U., Widmer J., Sulser U., Buerge T.A.: Optimisation of superplasticizers: From research to application. Proceedings of the International RILEM Conference "The Role of Admixtures in High Performance Concrete" Monterrey, Mexico, March 1999 pp.121–134.
59. Hu C., de Larrard F., Gjorv O.E.: Rheological Testing and Modelling of Fresh HPC. Materials and Structures, 1995, v.28, pp. 1–7.
60. Jamróy Z.: Beton i jego technologie. Wydawnictwo Naukowe PWN, Warszawa – Kraków 2000.
61. Jasiczak J., Mikołajczyk P.: Technologia betonu modyfikowanego domieszkami i dodatkami. Przegląd tendencji krajowych i zagranicznych. Wydawnictwo Politechniki Poznańskiej, Poznań 1997.
62. Jiang S., Kim B–G., Aitcin P–C.: Importance of adequate soluble alkali content to ensure cement/superplasticizer compatibility. Cement and Concrete Research. Vol. 29, pp. 71–78, 1999.
63. Jiang W. Roy D.M.: Interaction Mechanism of Chemical Admixtures and Their Influence on Microstructure. Proceedings of the 10–th International Conference on the Chemistry of Cement, 1997, 3iii001, 8pp.
64. Jolicoeur C., Simard M–A.: Chemical Admixture–cement Interactions: Phenomenology and Physico–chemical Concepts. Cement and Concrete Composites 20, pp. 87–101, 1998.
65. Jolicoeur C., Sharmann J., Otis N., Lebel A., Simard M–A., Page M.: The Influence of Temperature on the Rheological properties of Superplasticized Cement Pastes. 5th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Rome, Italy 1997, pp.379–391.
66. Kasperkiewicz J.: Projektowanie i optymalizacja na podstawie dużych zbiorów danych eksperymentalnych. Metody optymalizacji materiałowych kompozytowych o matrycach cementowych. KILiW PAN, IPPT PAN, Warszawa 1994, 120 – 140.
67. Kaszyńska M.: The influence of additives and admixtures of cement hydration process in High Performance Concrete. Kurdowski Sympozjum "Science of cement and concrete", Kraków 2001, pp. 334 – 342.
68. Kikukawa H.: Rheological studies on fresh concrete using admixtures. Proceedings of the International Symposium RILEM Admixtures for Concrete. Improvement of Properties. Barcelona 1990, pp. 34–50.
69. Kim B–G., Jiang S., Aitcin P–C.: Influence of molecular weight of PNS superplasticizers on the properties of cement pastes containing different alkali contents. Proceedings of the International RILEM Conference "The Role of Admixtures in High Performance Concrete" Monterrey, Mexico, March 1999, pp.69–96.
70. Kim G.–B., Jiang S., Jolicoeur C., Aitcin P–C.: The adsorption behaviour of PNS superplasticizer and its relation to fluidity of cement paste. Cement and Concrete Research. Vol. 30, pp. 887 – 893, 2000.
71. Kim G.–B., Jiang S., Jolicoeur C., Aitcin P–C.: Effect of Sodium Sulphate Addition on Properties of Cement Pastes Containing Different Molecular Weight PNS Superplasticizer. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France 2000, pp.485 – 504.
72. Kinoshita M., Nawa T., Iida M., Ichiboji H.: Effect of Chemical on Fluidising Mechanism of Concrete Superplasticizer Containing Polyethylene Oxide Graft Chains. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France 2000, pp.163 – 180.

73. Kinoshita M., Suzuki T., Soeda K., Nawa T.: Properties of Methacrylic Water-Soluble Polymer as a Superplasticizer for Ultra High-Strength Concrete. 5th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Rome, Italy 1997, pp.143-162.
74. Kucharska L.: Tradycyjne i współczesne domieszki do betonu zmniejszające ilość wody zarobowej. CWB, 2/2000.
75. Kuczyński W. i zespół autorski: Technologia betonu. Część 2. Projektowanie betonów. Arkady, Warszawa 1972.
76. Kurdowski W.: Chemia cementu. Wydawnictwo Naukowe PWN, Warszawa 1991.
77. Larrard de F.: Concrete Mixture Proportioning. A scientific approach. E&FN SPON, London and New York 1999.
78. Larrard de F., Hu C., Sedran T., Sztikar J.C., Joly M., Claux F., Derckx F.: A New Rheometer for Soft-to-Fluid Fresh Concrete. ACI Materials Journal, Vol. 94, No. 3, 1997, pp. 234-243.
79. Larrard de F., Hu Ch.: The rheology of high-performance concrete. Cement and Concrete Research. Vol. 26, pp. 283-294, 1996.
80. Lewandowski R. von, Wolter G.: Early stiffening behaviour of cement and concrete. Betonwerk + Fertigeil Technik, No. 5, 1981, pp. 266-272.
81. Luke K., Aitcin P-C.: Effect of superplasticizer on ettringite formation. Conference on Advances and Cementitious Materials. National Institute of Standards and Technology, Gaithersburg, July 1990, 17 pp.
82. MacInnis C., Racic D.: The effect of superplasticizers on the entrained air-void system in concrete. Cement and Concrete Research, Vol. 16, pp. 345-352, 1986.
83. Maeder U., Kusterle W., Grass G.: The Rheological Behaviour of Cementitious Materials with Chemically Different Superplasticizers. Proceedings of the International RILEM Conference "The Role of Admixtures in High Performance Concrete" Monterrey, Mexico, March 1999, pp. 357-376.
84. Malhorta V.M. & others: Condensed Silica Fume in Concrete. CRC Press, Inc. Boca Raton, Florida 1987.
85. Malhorta V.M.: Superplasticizers: Their Effect on Fresh and Hardened Concrete. ACI Concrete International, Vol. 3, No. 5, pp. 66 - 81, 1981.
86. Malhorta V.M.: Innovative Applications of Superplasticizers in Concrete - a Review. Proceedings of the International RILEM Conference "The Role of Admixtures in High Performance Concrete" Monterrey, Mexico, March 1999, pp.421 - 461.
87. Mather B.: Realising the potential of concrete as construction material. Proc. International. Congress "Creating with Concrete", University of Dundee, Dundee, September 1999, pp. 1-10.
88. Matsuhisa M., Yamada K., Ishimori M., Kaneda Y.: Effect of cement character on the fluidity of cement paste added with beta-naphthalene sulphonate type or polycarboxylate type superplasticizers. Proceeding of the Japan Concrete Institute 20-2, 1998, pp. 67 - 72.
89. Masood I., Agarwal S.K.: Effect of various superplasticizers on rheological properties of cement paste and mortars. Cement and Concrete Research. Vol. 24, pp. 291-302, 1994.
90. Mehta P.K.: Concrete. Structure, Properties and Materials. Prentice - Hall, INC. Engelwood Cliffs, New Jersey 1986.
91. Miati S.C.: Performance of High-Range Water Reducers in Cement Concrete Mixes in Hot Weather Conditions. Proceedings of the 10-th International Conference on the Chemistry of Cement, 1997, 3iii020, 4pp.
92. Mierzwa J., Urban M.: Reologia kompozytów zwykłych i z domieszkami. CWB 6, pp. 217-222, 1999.
93. Mikanowic N., Simard M-A., Jolicoeur C.: Interaction Between Poly-Naphtalene Sulphonate - Type Superplasticizers and Cements During Initial Hydration. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Ed. V.M. Malhorta, Nice, France 2000, pp. 561 - 584.
94. Mikołajczyk J.: Models and formulas for prediction of the new generation concrete compressive strength. Kurdowski Symposium "Science of cement and concrete", Kraków 2001, pp. 301 - 314.
95. Mikołajczyk J.: Wybrane zagadnienia technologii prefabrykacji. PWN, Warszawa 1987.
96. Mikołajczyk J.: Wytrzymałość betonu w funkcji współczynnika struktury porowatości. Archiwum Inżynierii Lądowej. Tom XXXI, z. 1-2/1985.
97. Miyake N., Ando T., Sakai E.: Superplasticized concrete using refined lignosulphonate and its action mechanism. Cement and Concrete Research. Vol. 15, pp. 295-302, 1985.
98. Miodęcki J., Stebnicka J.: Domieszki do betonów. COIB, 1996.
99. Mork J.H., Gjorv O.E.: Effect of Gypsum-Hemihydrate Ratio in Cement on Rheological Properties of Fresh Concrete. ACI Materials Journal, Vol. 94, No. 2, pp. 142-146, 1997.
100. Morin V., Cohen Tenouji F., Feylessoufi A., Richard P.: Superplasticizer effects on setting and structuration mechanisms of ultrahigh-performance concrete. Cement and Concrete Research, Vol. 31, 63-71, 2001.
101. Murata J., Kikukawa H.: Viscosity Equation for Fresh Concrete. ACI Materials Journal, Vol 83, No 3, pp. 230 - 237, 1992.

102. Nawa T., Ichiboji H., Kinoshita M.: Influence of Temperature on Fluidity of Cement Paste Containing Superplasticizer with Polyethylene Oxide Graft Chains. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France 2000, pp.195–210.
103. Nawa T., Euguchi H.: Effect of cement characteristics on fluidity of cement paste containing an organic admixture. Proceedings of the 9–th International Conference on the Chemistry of Cement, 1992, pp. 597–603.
104. Neville A.M.: *Właściwości betonu*. Polski Cement, Kraków 2000.
105. Nishibayashi S., Yosino A., Inoue S., Kuroda T.: Effect of Properties of Mix Constituents on Rheological Constants of Self–Compacting Concrete. Production Methods and Workability of Concrete, E&FN Spon, 1996, pp. 255 – 262.
106. Norberg J., Peterson O., Billberg P.: Effects of a New Generation of Superplasticizers on the Properties of Fresh Concrete. 5th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Rome, Italy 1997, pp. 583–598.
107. Oh S.G., Noguchi T., Tomosawa F.: Toward mix design for rheology of SCC. 1st Int. RILEM Symposium on SCC. Stockholm, September 13–14 1999, ed. RILEM Publ. S.A.R.L., pp. 361 – 372.
108. Ohta A., Uomoto T.: Fluidizing mechanism of polycarboxylate–based superplasticizers for several binder materials. International Congress "Creating with Concrete, Dundee, Scotland, 1999.
109. Ozkul M.H., Dogan A., Cavdar Z., Saglam A.R., Parlak N. Properties of Fresh and Hardened Concretes Prepared by New Generation Superplasticizers. Proc. Intn. Congress "Creating with Concrete", University of Dundee, Dundee, September 1999, pp.468 – 474.
110. Papo A.: Rheological models for cement pastes. Materials and Structures, Vol. 21 pp. 41–46, 1988.
111. Perret S., Palardy D., Ballivy G.: Rheological Behaviour and Setting Time of Microfine Cement–Based Grouts. ACI Materials Journal, V.97, No.4, 2000, pp.472–478.
112. Penttala V.E.: Effects of delayed dosage of superplasticizer on high performance concrete. Utilisation of High Strength Concrete. Third Int. Symposium, Lillehammer, Norway 1993.
113. Peukert S.: *Cementy powszechnego użyciu i specjalne: podstawy produkcji, właściwości i zastosowanie*. Polski Cement Sp. z o.o., Kraków 1999.
114. Polański Z.: *Metodyka badań doświadczalnych*. Politechnika Krakowska, Kraków 1981.
115. Powers T.C.: *The Properties of Fresh Concrete*. John Wiley Sons Inc., New York 1968.
116. Proceeding of International Congress "Concrete in Mankind" Ed. by R. Dhir, Dundee, Scotland 2002.
117. Proceeding of Fifth CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Ed. V.M. Malhorta, Rome, Italy 1997.
118. Proceeding of the International RILEM Symposium "Admixtures for Concrete. Improvement of properties", Edited by E. Vazgues, Barcelona, Spain 1990.
119. Proceeding of the International RILEM Conference "The Role of Admixtures in High Performance Concrete", Edited by J.G. Cabrera and R. Rivera – Villarreal, Monterrey, Mexico 1999.
120. Proceeding of Sixth CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Ed. V.M. Malhorta, Nice, France 2000.
121. Punkki J., Gołaszewski J., Gjørsv O.E.: Workability loss of High–Strength Concrete. ACI Materials Journal, V.93, No. 5, September–October 1996.
122. Ramachandran V.S.: *Concrete Admixtures Handbook. Properties, Science and Technology*, Ed. V.S. Ramachandran, Noyes Publications, Park Ridge, New Jersey, USA 1995.
123. Reknas K., Gustafson J.: Effect of Modification of Lignosulfonate on Adsorption on Cement and Fresh Concrete Properties. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France 2000, pp.127–141.
124. Rivera–Villarreal R.: Concrete superplasticizers admixtures. Proc. Intn. Congress "Creating with Concrete", University of Dundee, Dundee, September 1999.
125. Roncero J., Gettu R., Vazquez E., Torrents J.M.: Effect of Superplasticizer Content and Temperature on Fluidity and Setting of Cement Pastes. Proceedings of the International RILEM Conference "The Role of Admixtures in High Performance Concrete" Monterrey, Mexico, March 1999, pp.343–356.
126. Roy D.M., Asaga K.: Rheological properties of cement mixes: III. The effects of mixing procedures on viscometric properties of mixes containing superplasticizers. Cement and Concrete Research. Vol. 9, pp. 731–739, 1979.
127. Roy D.M., Asaga K.: Rheological properties of cement mixes: V. The effects of time on viscometric properties of mixes containing superplasticizer, Conclusions. Vol. 10, pp. 387–394, 1980.
128. Rudziński L.: *Reologia wybranych zaczynów cementowych*. Politechnika wiłkowska, Kielce 1983.
129. Sakai E., Daimon M.: Mechanisms of Superplasticification. Materials Science of concrete IV. The American Ceramic Society, Westerville, USA, 1995, pp. 91 – 111.
130. Sakai E., Daimon M.: Dispersion Mechanism of Alite Stabilised by Superplasticizers Containing Polyethylene Oxide Graft Chains. 5th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Rome, Italy 1997, pp.187 – 202.

131. Serdan T., de Larrard F.: Optimisation of SCC thanks to Packing Model. 1st Int. RILEM Symposium on SCC. Stockholm, September 13–14 1999, ed. RILEM Publ. S.A.R.L., pp. 321 – 332.
132. Shonaka M., Kitakawa K., Satoh H., Izumi T., Mizanuma T.: Chemical structures and Performance of New High Range Water Reducing and Air Entraining Agents. 5th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Rome, Italy 1997, pp. 599 – 614.
133. Simard M–A., Nkinamubanzi P–C., Jolicoeur C.: Calorimetry, rheology and compressive strength of superplasticized cement pastes. Cement and Concrete Research. Vol. 23, pp. 939–950, 1993.
134. Singh N.B., Sarvahi R., Singh N.P.: Effect of superplasticizer on hydration of Portland cement. Proceedings of the 9–th International Conference on the Chemistry of Cement, 1992, pp. 564–569.
135. Singh N.B., Sarvahi R., Singh N.P.: Effect of superplasticizer on hydration of cement. Cement and Concrete Research. Vol. 22, pp. 725–735, 1992.
136. Smeplass S.: Applicability of the Bingham model to High Strength Concrete. Proc. of Inter. RILEM Workshop "Special Concretes: Workability and Mixing". Paisley 1993. E&FN Spon., London 1994.
137. Soutsos M.N., Domone P.L.J.: Design of High Strength Concrete Mixes with Normal Weight Aggregates. Third Int. Symposium "Utilisation of High Strength Concrete", Lillehammer, Norway 1993.
138. Soutsos M.N., Domone P.L.J.: Workability of high strength concrete mixes as defined by Tattersall's two point test. Third Int. Symposium "Utilisation of High Strength Concrete", Lillehammer, Norway 1993.
139. Spanka G., Grube H., Thielen G.: Operative mechanism of plasticizing concrete admixtures. Beton, 12/95.
140. Spiratos N., Jolicoeur C.: Trends in Concrete Chemical Admixtures for the 21st Century. 6th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Nice, France 2000, pp. 1–16.
141. Sucho? S.: Zwi?zki parametrów reologicznych mieszanki betonowej z jej stanem struktury. Model predykcji z aplikacj? komputerow?. Rozprawa doktorska, Politechnika ?l?ska, Gliwice 1996.
142. Szwabowski J., Go?aszewski J.: Badanie efektów dzia?ania wybranych domieszek up?ynnij?cych wed?ug norm europejskich. KNTPB Beton i Prefabrykacja, Jadwisin 2000.
143. Szwabowski J., Go?aszewski J.: Badanie efektywno?ci dzia?ania domieszek uplastycznij?cych i up?ynnij?cych reometrycznym testem urabialno?ci. KNTPB Beton i Prefabrykacja, Jadwisin 2000.
144. Szwabowski J., Go?aszewski J.: Metodyka badania efektywno?ci dzia?ania domieszek uplastycznij?cych i up?ynnij?cych. III KNT MATBUD 2000, Kraków–Mogilany 2000.
145. Szwabowski J., Go?aszewski J.: O ocenie efektywno?ci oddzia?ywania domieszek uplastycznij?cych i up?ynnij?cych do betonu w ?wietle norm europejskich. Cement Wapno Beton 4/99.
146. Szwabowski J., Go?aszewski J.: The effect of superplasticizers on rheological properties of mortars. Building materials and testing – Brno, Czech Republic 1999.
147. Szwabowski J., Go?aszewski J.: Wp?yw superplastyfikatora i py?u krzemionkowego na urabialno?? betonu wysokowarto?ciowego. Cement Wapno Beton 6/1996.
148. Szwabowski J., Go?aszewski J.: Wp?yw domieszek up?ynnij?cych na czas u?ycia mieszanek betonowych. Konferencja Naukowo–Techniczna "Procesy Budowlane 2000", Gliwice – Kokotek 2000.
149. Szwabowski J., Go?aszewski J.: Wp?yw momentu dozowania superplastyfikatorów SKP 26 i Betoplastu 6 na w?a?ciwo?ci reologiczne mieszanek BWW. Przegl?d Budowlany 4/96.
150. Szwabowski J., Go?aszewski J.: Zastosowanie reometrycznego testu urabialno?ci w projektowaniu betonów wysokowarto?ciowych. KNTPB Beton i Prefabrykacja, Jadwisin 2002.
151. Szwabowski J., Go?aszewski J., Sucho? S.: Przydatno?? reometru Viskomat PC do pomiaru efektywno?ci superplastyfikatorów. II Konferencja Naukowo–Techniczna "Zagadnienia materia?owe w in?ynierii l?dowej MATBUD'98", Pol. Krakowska, Kraków–Mogilany, 1998.
152. Szwabowski J.: Reologia mieszanek na spoiwach cementowych. Wydawnictwo Politechniki ?l?skiej, Gliwice 1999.
153. Szwabowski J.: Reologia samozag?szczalnych mieszanek betonowych. IV Sympozjum Naukowo – Techniczne "Reologia w technologii betonu", Gliwice 2002, pp. 61–75.
154. Szwabowski J.: Urabialno?? mieszanki betonowej w u?yciu reologicznym. Zeszyty Naukowe Politechniki ?l?skiej, Gliwice 1987, pp. 145.
155. ?liwi?ski J.: Beton zwyk?y – projektowanie i podstawowe w?a?ciwo?ci. Polski Cement Sp. z o.o., Kraków 1999.
156. ?liwi?ski J.: Komputer w projektowaniu sk?adu betonów cementowych. Konferencja "Beton na progno nowego milenium", Kraków 2000, pp. 159–171.
157. STATGRAPHICS Plus refernce manual, Mangustics, Inc., 1993.
158. Tanaka Y., Ohta A., Sugiyama T.: Polycarboxylate–Based Advanced Superplasticizers for High Performance Concrete. Proceedings of the International RILEM Conference "The Role of Admixtures in High Performance Concrete" Monterrey, Mexico, March 1999, pp.135–143.
159. Tattersall G.H., Banfill P.F.G.: The rheology of Fresh Concrete. Pitman Books Limited, Boston 1983.
160. Tattersall G.H.: Workability and Quality Control of Concrete. E&FN SPON, London 1991.

161. Taylor H. F. W.: Cement chemistry. Academic Press Ltd, London 1992.
162. Teubert J.: Measuring the consistency of concrete mortar and its importance to the workability of fresh concrete. *Betonwerk + Fertigeil Technik*, Heft 4/81.
163. Tazawa E., Mtsiwa B., Takahasi M.: Effect of Types of Superplasticizers and Mixing Methods on the Properties of Cementitious Systems. 5th CANMET/ACI International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Rome, Italy 1997, pp.637–656.
164. Thielen G., Spanka G., Grube H.: Consistency adjustment of concrete using superplasticizer. *Beton* 8/97.
165. Tritt-Goc J., Pi?lewski N., Ko?cielski S., Milia F.: The influence of the superplasticizer on the hydration and freezing processes in white cement studied by 1H spin–lattice relaxation time and single point imaging. *Cement and Concrete Research* Vol. 30, pp. 931 – 936, 2000.
166. Uchikawa H., Hanehara S., Sawaki D., Onoda Sh.: Effect of electrostatic and steric repulsive force of organic admixture on the dispersion of cement particles in fresh cement paste. Proceedings of the 10–th International Conference on the Chemistry of Cement, 1997, 3iii001, 8pp.
167. Uchikawa H., Hanehara S., Sawaki D.: The role of steric repulsive force in the dispersion of cement particles in fresh paste prepared with organic admixture. *Cement and Concrete Research*. Vol. 27, pp. 37–50, 1997.
168. Uchikawa H., Hanehara S., Shirasaka T., Sawaki D.: Effect of admixture on hydration of cement, adsorptive behaviour of admixture and fluidity and setting of fresh cement paste. *Cement and Concrete Research*. Vol. 22, pp. 1115–1129, 1992.
169. Uchikawa H.: Function of organic admixture supporting high performance concrete. Proceedings of the International RILEM Conference "The Role of Admixtures in High Performance Concrete" Monterrey, Mexico, March 1999, pp.69–96.
170. Uchikawa H., Sawaki D., Hanehara S.: Influence of Kind and Added Timing of Organic Admixture on the Composition, Structure and Property of Fresh Cement Paste. *Cement and Concrete Research*. Vol. 25, pp. 353–364, 1995.
171. Urban M.: Metody projektowania betonów samozag?szczalnych (SCC). III Sympozjum Naukowo – Techniczne "Reologia w technologii betonu", Gliwice 2001, pp. 61–71.
172. Urban M.: Konsystencja mieszanki betonowej a jej parametry reologiczne. IV Sympozjum Naukowo – Techniczne "Reologia w technologii betonu", Gliwice 2002, pp. 91 – 98.
173. Urban M.: Wp?yw sk?adu mieszanki betonowej na jej parametry reologiczne. Praca doktorska, Politechnika Krakowska, Kraków 2002.
174. Wallevik O.: Den Ferske Betonges Reologi og Anvendelse pa Betong med. og Uten Tilseting av Silikastov. Dr ing. vhandling. Norges Tekniske Hogskole, Trondheim, Norge 1990.
175. Wallevik O.H., Gjorv O.E.: Modification of the Two–Point Workability Apparatus. Seminar on Rheology of Fresh Concrete NTH Trondheim, Norway 1990.
176. Wallevik O.H., Gjorv O.E.: Development of Coaxial Cylinders Viskometer for Fresh Concrete. Seminar on Rheology of Fresh Concrete, NTH Trondheim, Norway 1990.
177. Wallevik O.H., Saasen A., Gjeorv O.E.: Effect of Filler Materials on the Rheological Properties of Fresh Concrete. *ACI Materials Journal*, Vol 83, No 3, pp. 230 – 237, 1992.
178. Whorlow R.W.: Rheological Techniques. Cecond Edition, Ellis Horwood, New York 1992.
179. Williams D.A., Saak A.W., Jennings H.M.: The influence of mixing on the rheology of fresh cement paste. *Cement and Concrete Research*. Vol. 29, pp. 1491–1496, 1999.
180. Wolter G.: Measuring relative viscosity in cement mortars: measuring principle and fields of application. *Betonwerk + Fertigeil Technik*, Heft 12/85.
181. Wolter H.: Measuring flow properties of new concrete mixes. "Holderbank" News 1–2/95.
182. Volk W.: Statystyka stosowana dla in?ynierów. WNT, Warszawa 1965.
183. Xu G., Beaudoin J.J.: Effect of Polycarboxylate Superplasticizer on Contribution of Interfacial Transition Zone to Electrical Conductivity of Portland Cement Mortars. *ACI Materials Journal*, V. 97, No. 4, 2000, pp. 418 – 424.
184. Xu G., Beaudoin J.J., Jolicoeur C., Page M.: The effect of a polynaphtalene sulfonate superplasticizer on contribution of the interfacial transition zone to electrical resistivity of mortars containing silica and limestone fine aggregate. *Cement and Concrete Research* 30, 2000, pp. 683 – 691.
185. Yamada K., Hanehara S., Matsuhisa M.: Fluidizing mechanism of cement paste added with polycarboxylate type superplasticizer analysed from point of adsorption behaviour. Proceedings of the Japan Concrete Institute 20–2, 1998, pp 73 – 78.
186. Yamada K., Ogawa S., Hanehara S.: Controlling of the adsorption and dispersing force of polycarboxylate–type superplasticizer by sulphate ion concentration in aqueous phase. *Cement and Concrete Research*, 31, 2001, pp. 375 – 383.
187. Yamada K., Ogawa S., Hanehara S.: Working mechanism of Poly–Beta–Naphtalene Sulfonate and Polycarboxylate Superplasticizer Types from Point of Cement Paste Characteristics. 6th CANMET/ACI

- International Conference "Superplasticizers and Other Chemical Admixtures in Concrete", Ed. V.M. Malhorta, Nice, France 2000, pp. 367 – 382.
188. Yamada K., Takahashi T., Hanehara S., Matsuhisa M.: Effects of the chemical structure on the properties of polycarboxylate – type superplasticizer. *Cement and Concrete Research*. Vol. 30, pp. 197 – 207, 2000.
 189. Yamaguchi O., Nakajima H., Takahasi M.: The effect of paste and mortar containing various types of water reducing agents. *JCA Proceedings of Cement and Concrete* 51, 1997, pp. 216 – 263.
 190. Yeh I.-C.: Modelling of strength of high–performance concrete using artificial neural networks. *Cement and Concrete Research*, Vol. 28, No 12, 1998, pp. 1797–1808.
 191. Yilmaz V.T., Kindness A., Glasser F.P.: Determination of sulphonated naphthalene formaldehyde superplasticizer in cement: a new spectrofluorometric method and assessment of the UV method. *Cement and Concrete Research*. Vol. 22, pp. 663–670, 1992.