Schleibinger Geräte Teubert u. Greim GmbH

CDF-Accessories

Sonorex Super RK 514

Ultrasonic Cleaning Apparatus, for removing loose parts from the concrete surface. Inner size 320x300x150 mm. HF Power 2 x 450 W **Order Code: C0014**



Ultrasonic Digital Indicating Tester. For measuring the transition time, incl. 80 kHz or 54 kHz transducers. Ultrasound couplant, two 3,55 m cables, complete with plugs, manual and carrying bag.

Order Code: C0055

Ultrasonic Test Container

For 150 mm specimens, made of PMMA. With long transducers allowing the testing of specimens of 110 x 150 mm size. Other sizes also available **Order Code C0026**



Schleibinger Geräte Teubert u. Greim GmbH Gewerbestrasse 4, 84428 BUCHBACH Germany Tel. +49 8086 94010 Fax. +49 8086 94014 e-mail info@schleibinger.com, http://www.schleibinger.com





Specimen Carrier 100 x 150 mm C0136

Stainless steel plate. During the ultra sonic transition time test, the specimens are placed on this plate to avoid loss of scaled material, for specimens with a maximum size of 110 x 150 mm. Other sizes available. Order Code: C0136



150x150 mm, 10 fits into the CDF machine other sizes also available Order Code GNB1/2 Lid: GD-B 1/2

Specimen Container for the Cube Test

made of 2 mm thick stainless steel, for two 100x100x100 mm cubes. Including lid and special spacers. A maximum of 15 containers fit in the CDF apparatus. Order Code: C0114

Hopper Container C0017 container for 10 hoppers, with water-tap.

Water Jet Pump

Unit for adjusting liquid level. The suction device consist of a capillary tube with a spacer that is connected with a water jet pump to suck up the excessive liquid in the test containers. Order Code: C0030

Schleibinger Geräte Teubert u. Greim GmbH Gewerbestrasse 4,

84428 BUCHBACH Germany Tel. +49 8086 94010

Fax. +49 8086 94014 e-mail info@schleibinger.com, http://www.schleibinger.com









PTFE Disks

according to the RILEM recomendation for preparing the CDF/CIF specimens. With hydrophobic surface serving as mould inlet. **Order Code: C0113**

PTFE Disks H-Form according to the DIN-CEN TS 12390-9 Order Code: C0035

Alumium Foil with Butyl Rubber Lateral sealing for the CDF specimens. Durable at -20°C, resistant against attack of de-icing solution. Length: 5.0 m; Width 7.5 cm Order Code: C0021

Spacer 5mm C0040 made of PVDF. At least 3 pieces are recommended for each specimen Order Code: C0040

Also available 10mm Order Code: C0038

Filters 100 pcs each package Order Code: C0019

Liquid Coolant 23 kg bulk Order Code: C0031

Dot Strip Recorder 6 channels incl. digital display and textual messages Order Code: C0031

Schleibinger Geräte Teubert u. Greim GmbH Gewerbestrasse 4, 84428 BUCHBACH Germany Tel. +49 8086 94010 Fax. +49 8086 94014 e-mail info@schleibinger.com, http://www.schleibinger.com











